

# LUMIX21 FLOORING CENTER

**SPC** Super waterproof floor




**Waterproof, Formaldehyde free, Smart overall installation**



# SPC Super waterproof floor

## Product application scenarios:

Indoor home decoration, office space, educational space, healthcare, supermarkets, shopping malls, public spaces, etc.



- 1 UV layer**  
Anti fouling, easy to clean
- 2 Wear-resistant layer**  
Super wear-resistant
- 3 Color film layer**  
Clear texture and high fidelity
- 4 Stone plastic substrate**  
Super stable and durable
- 5 Anti slip silent cushion**  
Enhance friction, mute and reduce noise



## SPC Floor Construction Instructions

To ensure that our company's flooring achieves ideal installation results, the following installation instructions are specially formulated:

1. The ground flatness requirement for installing SPC flooring is that the height difference within 2 meters of the diameter should not exceed 2mm, and too high a height difference will affect the flatness of the floor may cause tripping, so it is necessary to first self level the uneven ground.
2. When the length and width of the installed floor exceed 8 meters, partition measures must be taken to prevent thermal expansion and arching.
3. After the floor is transported to the construction site, it must be left at room temperature for at least 12 hours before installation.
4. The ground after paving the floor should avoid direct sunlight to prevent the floor from arching.
5. During installation, it shall be noted that 10-12mm gap must be reserved between the surrounding walls and SPC floor as expansion joint.
6. After the completion of SPC floor paving, PVC or metal anchor wires are generally installed. The foundation line only needs the top and wall  
The adhesion between the walls is good, and there is no need to use glass glue or sealant to bond the anchor wire with the SPC floor in the landing position. This is beneficial for the floor  
Free shrinkage or expansion to maintain product stability!

# SPC Super waterproof floor

## 6 ADVANTAGE

////////////////////////////////////

1. Independent Splicing



2. Zero formaldehyde



3. Wear-resisting




4. Waterproof and antiskid



5. Fire retardant



6. Suitable for floor heating



## EUCALYPTUS FLOORING BOARD THE BEST



■ KS-01



■ KS-02



■ KS-03



■ KS-04



■ KS-05



■ KS-06



■ KS-07



■ KS-08



■ KS-10



■ KS-11



■ KS-12



■ KS-13



■ KS-14



■ KS-15

## EUCALYPTUS FLOORING BOARD THE BEST



■ KS-16



■ KS-18



■ KS-20



■ KS-21



■ KS-23



■ KS-24



■ KS-25



■ KS-26



■ KS-27



■ KS-28



■ KS-29



■ KS-30



■ KS-31



■ KS-32




■ KS-33



■ KS-34



■ black




■ grey

# Natural

## The Way of Combining Rigidity and Softness in Nature


Wood grain is the precipitation of natural ring texture with full load time  
Endless change, still full of life force. Simple and clean, warm and comfortable, disturbing the times.  
For the rare tranquility bestowed upon nature, I only wish to conceal my body and mind here.




# SPC SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity

■ KS-02



■ KS-03




**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity




■ KS-04



■ KS-05

**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity




**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity



■ KS-08



■ KS-10

# SPC SUPER WATERPROOF FLOOR



■ KS-11

24 \* hours to pack and stay, healthy and formaldehyde free

360 ° \* moisture-proof and not afraid of Huangmei Tian, convenient for maintenance

80-20 °C two-stage temperature test, suitable for geothermal energy




■ KS-11

## A FLOOR WITH BOTH BEAUTY AND INTERIOR


The ever-changing texture and pulse reveal the most natural and diverse customs;  
The comfortable surface texture plays the most beautiful movement of life.

# SPC SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity



■ KS-12



■ KS-13

**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity




**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity




■ KS-16



■ KS-18

# SPC SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity



**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity



■ KS-23



■ KS-24

# SPC SUPER WATERPROOF FLOOR

■ KS-25

**DURABLE AND  
WEAR-RESISTANT** ✓

**ENVIRONMENTALLY  
FRIENDLY AND ODORLESS** ✓

**ANTI SLIP PROTECTION** ✓

**MOISTURE AND  
MOISTURE RESISTANCE** ✓




**Available in multiple colors**

## High aesthetic value in flooring

Fresh and natural log decor  
Bring the forest to your house

**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity



■ KS-26




■ KS-27


**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity

■ KS-28




■ KS-29




**SPC** SUPER WATERPROOF FLOOR

Environmental Protection / True Elasticity / True Purity



■ KS-32



■ KS-33



■ KS-34

## Clear texture Reproduction of true texture

The wood grain has an inherent thick and smooth atmosphere


In the space of wood grain crisscross  
The charm of advanced fashion

Outline the beauty of natural simplicity

—  
Real  
Skin Texture



■ KS-34







# LUMIX24

De Waal 20-B  
5684PH Best  
Mail: [Info@lumix24.com](mailto:Info@lumix24.com)  
Tel: +31(0)642815949

